



PGDQ2.MH12039
Marking and Labeling Systems - Component

For enhanced search functionality, please visit UL's [iQ™ Family of Databases](#).
 Click on a product designation for complete information.

[Page Bottom](#)

Marking and Labeling Systems - Component

[See General Information for Marking and Labeling Systems - Component](#)**CM ASSOCIATES, DIV OF CYPRESS MULTIGRAPHICS INC**

MH12039

UNIT A

8500 W 185TH ST

TINLEY PARK, IL 60487 USA

Model No.	Application Surface	Max Temp (°C)	Min Temp (°C)	Indoor Use	Outdoor Use	Additional Conditions
Pressure-sensitive printed labels.						
150WB-2						
	Acrylonitrile butadiene styrene	60	-40	X	X	-
	Alkyd paint	60	-40	X	X	-
	Aluminum	60	-40	X	X	-
	Galvanized steel	60	-40	X	X	-
	High density polyethylene	60	-40	X	-	-
	Nylon - Polyamide	60	-40	X	X	-
	Polycarbonate	60	-40	X	X	-
	Polyphenylene oxide/ether	60	-40	X	X	-
	Polypropylene	60	-40	X	X	-
	Polypropylene (mineral reinforced)	60	-40	X	X	G
	Polyurethane powder paint	60	-40	X	X	-
	Porcelain	60	-40	X	-	-
	Low density polyethylene	40	-40	X	X	-
	Polystyrene	40	-40	X	X	-
41WC-2						
	Polypropylene (textured)	60	-40	X	X	G
A-41CC						
	Polyethylene (textured)	60	-	X	-	-
A-43 White						
	Acrylonitrile butadiene styrene	60	-	X	-	-
	Polypropylene	60	-	X	-	-
	Veltex paint	60	-	X	-	-

A.11 Clear, A.11 Matte, A.11 Silver, A.11 Brush						
	Alkyd paint	150	-29	X	-	O
	Aluminum	150	-29	X	-	O
	Galvanized steel	150	-29	X	-	O
A142 Black						
	Polypropylene	60	-	X	-	O
A21 Clear HT10						
	Acrylic paint	100	-40	X	-	O, G
	Alkyd paint	100	-40	X	-	O, G
	Aluminum	100	-40	X	-	O, G
	Epoxy paint	100	-40	X	-	-
	Epoxy powder paint	100	-40	X	-	O
	Epoxy/Urethane powder paint	100	-40	X	-	-
	Galvanized steel	100	-40	X	-	-
	Melamine	100	-40	X	-	-
	Nylon - Polyamide	100	-40	X	-	G
	Phenolic - Phenol Formaldehyde	100	-40	X	-	-
	Polyester paint	100	-40	X	-	O, G
	Polyester powder paint	100	-40	X	-	-
	Porcelain	100	-40	X	-	-
	Stainless steel	100	-40	X	-	-
	Acrylonitrile butadiene styrene	80	-40	X	-	O, G
	Polybutylene terephthalate	80	-40	X	-	O
	Polycarbonate	80	-40	X	-	-
	Polypropylene	80	-	X	-	O, G
	Polystyrene	80	-40	X	-	O
	Unsaturated polyester - thermoset	80	-40	X	-	-
A4 White						
	Aluminum	60	-40	X	-	-
	Polypropylene	60	-40	X	-	-
A41 White						
	Acrylic paint	80	-29	X	-	O
	Acrylonitrile butadiene styrene	80	-29	X	-	O
	Alkyd paint	80	-29	X	-	O
	Stainless steel	80	-29	X	-	O
	Unsaturated polyester - thermoset	80	-29	X	-	O
	Aluminum	60	-29	X	-	O
	Polypropylene	40	-29	X	-	O

A41 White 8						
	Alkyd paint	100	-	X	-	-
	Acrylonitrile butadiene styrene	80	-	X	-	-
	Aluminum	80	-	X	-	-
	Galvanized steel	80	-	X	-	-
	Porcelain	80	-	X	-	-
	Stainless steel	80	-	X	-	-
	Unsaturated polyester - thermoset	80	-	X	-	-
	Polypropylene	40	-	X	-	-
A41 White C						
	Acrylic paint	80	-	X	-	O
	Acrylonitrile butadiene styrene	80	-	X	-	O
	Alkyd paint	80	-	X	-	O
	Aluminum	80	-	X	-	O
	Galvanized steel	80	-	X	-	O
	Polyester paint	80	-	X	-	O
	Porcelain	80	-	X	-	O
	Stainless steel	80	-	X	-	O
	Polypropylene	40	-	X	-	O
A41 White EMT						
	Alkyd paint	100	-	X	-	-
	Acrylic paint	80	-	X	-	-
	Acrylonitrile butadiene styrene	80	-	X	-	-
	Aluminum	80	-	X	-	-
	Galvanized steel	80	-	X	-	-
	Melamine	80	-	X	-	-
	Nylon - Polyamide	80	-	X	-	-
	Phenolic - Phenol Formaldehyde	80	-	X	-	-
	Polycarbonate	80	-	X	-	-
	Polyester paint	80	-	X	-	-
	Polypropylene	80	-	X	-	-
	Polystyrene	80	-	X	-	-
	Porcelain	80	-	X	-	-
	Stainless steel	80	-	X	-	-
	Unsaturated polyester - thermoset	80	-	X	-	-
A41 White HR9 CP						
	Acrylic paint	80	-	X	-	-
	Acrylonitrile butadiene styrene	80	-	X	-	-
	Alkyd paint	80	-	X	-	-

	Aluminum	80	-	X	-	-
	Galvanized steel	80	-	X	-	-
	Polyester paint	80	-	X	-	-
	Porcelain	80	-	X	-	-
	Stainless steel	80	-	X	-	-
	Unsaturated polyester - thermoset	80	-	X	-	-
	Polypropylene	40	-	X	-	-
A41 White HR9R						
	Acrylic paint	80	-	X	-	O
	Acrylonitrile butadiene styrene	80	-	X	-	O
	Alkyd paint	80	-	X	-	O
	Aluminum	80	-	X	-	O
	Galvanized steel	80	-	X	-	O
	Porcelain	80	-	X	-	O
	Stainless steel	80	-	X	-	O
	Unsaturated polyester - thermoset	80	-	X	-	O
	Epoxy paint	60	-	X	-	-
	Nylon - Polyamide	60	-	X	-	-
	Polyphenylene oxide/ether	60	-	X	-	-
	Polycarbonate	40	-	X	-	-
	Polypropylene	40	-	X	-	O
A41 White HR9S						
	Acrylic paint	80	-	X	-	O
	Acrylonitrile butadiene styrene	80	-	X	-	O
	Alkyd paint	80	-	X	-	O
	Aluminum	80	-	X	-	O
	Galvanized steel	80	-	X	-	O
	Porcelain	80	-	X	-	O
	Stainless steel	80	-	X	-	O
	Unsaturated polyester - thermoset	80	-	X	-	O
	Polypropylene	40	-	X	-	O
A41 White HT 11						
	Alkyd paint	100	-23	X	-	O
	Epoxy powder paint	80	-40	X	-	O
	Polyester paint	80	-40	X	-	O
	Polyester powder paint	80	-40	X	-	O
A41 White HT 11L						
	Alkyd paint	100	-23	X	-	O
A41 White HT 11U						

	Alkyd paint	100	-23	X	-	O
A41 White HT10F						
	Acrylic paint	100	-40	X	-	-
	Alkyd paint	100	-40	X	-	O
	Aluminum	100	-40	X	-	-
	Galvanized steel	100	-40	X	-	-
	Nylon - Polyamide	100	-40	X	-	-
	Polycarbonate	100	-40	X	-	-
	Polyester paint	100	-40	X	-	-
	Porcelain	100	-40	X	-	-
	Stainless steel	100	-40	X	-	-
	Acrylonitrile butadiene styrene	80	-40	X	-	-
	Epoxy paint	80	-40	X	-	-
	Epoxy powder paint	80	-40	X	-	O
	Polyester powder paint	80	-40	X	-	O
	Polyester/Epoxy powder paint	80	-40	X	-	O
	Polypropylene	80	-40	X	-	-
	Southern yellow pine	80	-40	X	-	-
	Unsaturated polyester - thermoset	80	-40	X	-	-
	Polyethylene	40	-40	X	-	-
	Polystyrene	40	-40	X	-	-
A41 White HT8, A41 White HT9, A41 White HTA, A41 White HT10						
	Alkyd paint	100	-	X	-	-
	Alkyd paint (textured)	100	-	X	-	-
A41-1.5						
	Polyester/Urethane powder paint (textured)	100	-	X	-	-
A41-WHITE-CCT						
	Alkyd paint (textured)	100	-	X	-	-
	Alkyd paint	100	-29	X	-	O
	Epoxy powder paint	80	-40	X	-	O
	Polyester paint	80	-40	X	-	O
	Polyester powder paint	80	-40	X	-	O
A41-WHITE-CCT-F						
	Alkyd paint (textured)	100	-29	X	-	-
	Alkyd paint	100	-29	X	-	O
A42 White						
	Veltex paint	80	-	X	-	-
	Acrylonitrile butadiene styrene	60	-	X	-	-
A42 White HR89						

	Veltex paint	80	-	X	-	-
	Acrylonitrile butadiene styrene	60	-	X	-	-
AP 21 White CP						
	Polyester/Polypropylene paint	100	-	X	-	-
B121AC						
	Alkyd paint	150	-29	X	-	O, G(19)
	Aluminum	150	-29	X	-	O
	Galvanized steel	150	-29	X	-	O
	Porcelain	100	-29	X	-	O
	Stainless steel	100	-29	X	-	O
	Acrylonitrile butadiene styrene	60	-	X	-	O
	Alkyd painted plastic	60	-29	X	-	O, G(19)
	Nylon - Polyamide	60	-29	X	-	O, G(19)
	Polyphenylene oxide/ether	60	-	X	-	O
	Polystyrene	60	-	X	-	O
B41AC						
	Alkyd paint	60	-40	X	-	-
	Aluminum	60	-40	X	-	-
	Epoxy paint	60	-40	X	-	-
	Polybutylene terephthalate	60	-40	X	-	-
	Polycarbonate	60	-40	X	-	-
	Polyester	60	-40	X	-	-
	Polyphenylene oxide/ether	60	-40	X	-	-
CM System B-801W (a)						
	Alkyd paint	100	-	X	-	-
CMA System 1						
	Alkyd paint	125	-40	X	-	O
	Aluminum	125	-40	X	-	O
	Anodized aluminum	125	-40	X	-	O
	Galvanized steel	125	-40	X	-	O
	Melamine	100	-29	X	-	O
	Nylon - Polyamide	100	-29	X	-	O
	Phenolic - Phenol Formaldehyde	100	-29	X	-	O
	Polycarbonate	100	-29	X	-	O
	Polyester paint	100	-29	X	-	O
	Porcelain	100	-29	X	-	O
	Stainless steel	100	-29	X	-	O
	Acrylic paint	80	-40	X	-	O
	Acrylonitrile butadiene styrene	80	-40	X	-	O

	Polypropylene	80	-	X	-	O
	Polystyrene	80	-29	X	-	O
	Polyvinyl chloride	80	-35	X	-	-
	Unsaturated polyester - thermoset	60	-40	X	-	O
CMA System 15						
	Bronze	80	-	X	-	-
CMA System 1a						
	Alkyd paint	125	-40	X	-	O
	Aluminum	125	-40	X	-	O
	Anodized aluminum	125	-40	X	-	O
	Galvanized steel	125	-40	X	-	O
	Melamine	100	-29	X	-	O
	Nylon - Polyamide	100	-29	X	-	O
	Phenolic - Phenol Formaldehyde	100	-29	X	-	O
	Polycarbonate	100	-29	X	-	O
	Polyester paint	100	-29	X	-	O
	Porcelain	100	-29	X	-	O
	Stainless steel	100	-29	X	-	O
	Acrylic paint	80	-40	X	-	O
	Acrylonitrile butadiene styrene	80	-40	X	-	O
	Polypropylene	80	-	X	-	O
	Polystyrene	80	-29	X	-	O
	Polyvinyl chloride	80	-35	X	-	-
	Unsaturated polyester - thermoset	60	-40	X	-	O
CMA System 2						
	Alkyd paint	125	-40	X	-	O
	Aluminum	125	-40	X	-	O
	Anodized aluminum	125	-40	X	-	O
	Galvanized steel	125	-40	X	-	O
	Polyester paint	125	-40	X	-	O
	Stainless steel	125	-40	X	-	O
	Phenolic - Phenol Formaldehyde	100	-40	X	-	O
	Melamine	80	-40	X	-	O
	Nylon - Polyamide	80	-40	X	-	O
	Polypropylene	80	-	X	-	O
	Polystyrene	80	-40	X	-	O
	Acrylonitrile butadiene styrene	60	-40	X	-	O
	Polyethylene	60	-	X	-	O
CMA System 20						

	Acrylonitrile EPDM styrene (textured)	60	-23	X	X	-
CMA System 26, CMA System 26b						
	Acrylic paint	150	-40	X	-	-
	Alkyd paint	150	-40	X	-	-
	Aluminum	150	-40	X	-	-
	Anodized aluminum	150	-40	X	-	-
	Epoxy paint	150	-40	X	-	-
	Galvanized steel	150	-40	X	-	-
	Polyester paint	150	-40	X	-	-
	Porcelain	150	-40	X	-	-
	Stainless steel	150	-40	X	-	-
	Glass	100	-40	X	-	-
	Melamine	100	-40	X	-	-
	Nylon - Polyamide	100	-40	X	-	-
	Phenolic - Phenol Formaldehyde	100	-40	X	-	-
	Polycarbonate	100	-40	X	-	-
	Unsaturated polyester - thermoset	100	-40	X	-	-
	Acrylonitrile butadiene styrene	80	-40	X	-	-
	Polyphenylene oxide/ether	80	-40	X	-	-
	Polypropylene	80	-	X	-	-
	Polystyrene	80	-40	X	-	-
	Alkyd painted plastic	60	-40	X	-	-
	Polyethylene	60	-	X	-	-
CMA System 26a						
	Acrylic paint	150	-40	X	-	-
	Alkyd paint	150	-40	X	-	-
	Aluminum	150	-40	X	-	-
	Anodized aluminum	150	-40	X	-	-
	Epoxy paint	150	-40	X	-	-
	Galvanized steel	150	-40	X	-	-
	Polyester paint	150	-40	X	-	-
	Porcelain	150	-40	X	-	-
	Stainless steel	150	-40	X	-	-
	Glass	100	-40	X	-	-
	Melamine	100	-40	X	-	-
	Nylon - Polyamide	100	-40	X	-	-
	Phenolic - Phenol Formaldehyde	100	-40	X	-	-
	Polycarbonate	100	-40	X	-	-
	Unsaturated polyester - thermoset	100	-40	X	-	-

	Acrylonitrile butadiene styrene	80	-40	X	-	-
	Polyphenylene oxide/ether	80	-40	X	-	-
	Polypropylene	80	-	X	-	-
	Polystyrene	80	-40	X	-	-
	Alkyd painted plastic	60	-40	X	-	-
	Polyethylene	60	-	X	-	-
CMA system 27, CMA System 27b						
	Acrylic paint	150	-40	X	-	-
	Alkyd paint	150	-40	X	-	-
	Aluminum	150	-40	X	-	-
	Epoxy paint	150	-40	X	-	-
	Galvanized steel	150	-40	X	-	-
	Polyester paint	150	-40	X	-	-
	Polyester powder paint	150	-40	X	-	-
	Polyurethane powder paint	150	-	X	-	-
	Stainless steel	150	-40	X	-	-
	Epoxy powder paint	125	-40	X	-	-
	Melamine	100	-40	X	-	-
	Nylon - Polyamide	100	-40	X	-	-
	Phenolic - Phenol Formaldehyde	100	-40	X	-	-
	Polycarbonate	100	-40	X	-	-
	Unsaturated polyester - thermoset	100	-40	X	-	-
	Acrylonitrile butadiene styrene	80	-40	X	-	-
	Polybutylene terephthalate	80	-40	X	-	-
	Polyphenylene oxide/ether	80	-40	X	-	-
	Polypropylene	80	-	X	-	-
	Polystyrene	80	-40	X	-	-
CMA System 27a						
	Acrylic paint	150	-40	X	-	-
	Alkyd paint	150	-40	X	-	-
	Aluminum	150	-40	X	-	-
	Epoxy paint	150	-40	X	-	-
	Galvanized steel	150	-40	X	-	-
	Polyester paint	150	-40	X	-	-
	Polyester powder paint	150	-40	X	-	-
	Polyurethane powder paint	150	-	X	-	-
	Stainless steel	150	-40	X	-	-
	Epoxy powder paint	125	-40	X	-	-

	Melamine	100	-40	X	-	-
	Nylon - Polyamide	100	-40	X	-	-
	Phenolic - Phenol Formaldehyde	100	-40	X	-	-
	Polycarbonate	100	-40	X	-	-
	Unsaturated polyester - thermoset	100	-40	X	-	-
	Acrylonitrile butadiene styrene	80	-40	X	-	-
	Polybutylene terephthalate	80	-40	X	-	-
	Polyphenylene oxide/ether	80	-40	X	-	-
	Polypropylene	80	-	X	-	-
	Polystyrene	80	-40	X	-	-
CMA System 2a						
	Alkyd paint	125	-40	X	-	O
	Aluminum	125	-40	X	-	O
	Anodized aluminum	125	-40	X	-	O
	Galvanized steel	125	-40	X	-	O
	Polyester paint	125	-40	X	-	O
	Stainless steel	125	-40	X	-	O
	Phenolic - Phenol Formaldehyde	100	-40	X	-	O
	Melamine	80	-40	X	-	O
	Nylon - Polyamide	80	-40	X	-	O
	Polypropylene	80	-	X	-	O
	Polystyrene	80	-40	X	-	O
	Acrylonitrile butadiene styrene	60	-40	X	-	O
	Polyethylene	60	-	X	-	O
CMA System 3						
	Acrylic paint	80	-40	X	-	O
	Acrylonitrile butadiene styrene	80	-40	X	-	O
	Alkyd paint	80	-40	X	-	O
	Aluminum	80	-40	X	-	O
	Galvanized steel	80	-40	X	-	O
	Phenolic - Phenol Formaldehyde	80	-40	X	-	O
	Polyester paint	80	-40	X	-	O
	Polyethylene	80	-40	X	-	O
	Polyphenylene oxide/ether	80	-40	X	-	O
	Polypropylene	80	-40	X	-	O
	Polystyrene	80	-40	X	-	O
	Stainless steel	80	-40	X	-	O
	Epoxy paint	60	-40	X	-	-
CMA System 31, CMA System 31A						

	Acrylic paint	125	-40	X	-	-
	Alkyd paint	125	-40	X	-	O
	Aluminum	125	-40	X	-	O
	Epoxy paint	125	-40	X	-	-
	Epoxy powder paint	125	-40	X	-	O
	Galvanized steel	125	-40	X	-	-
	Polyester paint	125	-40	X	-	O
	Polyester powder paint	125	-40	X	-	-
	Porcelain	125	-40	X	-	-
	Stainless steel	125	-40	X	-	-
	Phenolic - Phenol Formaldehyde	100	-40	X	-	-
	Acrylonitrile butadiene styrene	80	-40	X	-	O
	Melamine	80	-40	X	-	-
	Nylon - Polyamide	80	-40	X	-	O
	Polybutylene terephthalate	80	-40	X	-	O
	Polycarbonate	80	-40	X	-	-
	Polyethylene	80	-40	X	-	-
	Polyphenylene oxide/ether	80	-40	X	-	-
	Polypropylene	80	-	X	-	O
	Unsaturated polyester - thermoset	80	-40	X	-	-
	Polystyrene	60	-40	X	-	O
CMA System 4						
	Acrylic paint	80	-40	X	-	O
	Acrylonitrile butadiene styrene	80	-40	X	-	O
	Alkyd paint	80	-40	X	-	O
	Aluminum	80	-40	X	-	O
	Galvanized steel	80	-40	X	-	O
	Phenolic - Phenol Formaldehyde	80	-40	X	-	O
	Polyester paint	80	-40	X	-	O
	Polyvinyl chloride	80	-40	X	-	O
	Porcelain	80	-40	X	-	O
	Stainless steel	80	-40	X	-	O
	Unsaturated polyester - thermoset	80	-40	X	-	O
	Epoxy paint	60	-40	X	-	O
	Nylon - Polyamide	60	-40	X	-	O
	Polyphenylene oxide/ether	60	-40	X	-	O
	Polystyrene	60	-40	X	-	O
	Polycarbonate	40	-40	X	-	O
	Polypropylene	40	-40	X	-	-

CMA System 5						
	Acrylonitrile butadiene styrene	80	-40	X	-	O
	Alkyd paint	80	-40	X	-	O
	Aluminum	80	-40	X	-	O
	Galvanized steel	80	-40	X	-	O
	Porcelain	80	-40	X	-	O
	Stainless steel	80	-40	X	-	O
	Unsaturated polyester - thermoset	80	-40	X	-	O
	Epoxy paint	60	-40	X	-	-
	Nylon - Polyamide	60	-	X	-	-
	Polyphenylene oxide/ether	60	-40	X	-	-
	Polystyrene	60	-	X	-	-
	Polycarbonate	40	-40	X	-	-
	Polypropylene	40	-40	X	-	O
CMA System 6						
	Acrylic paint	80	-40	X	-	O
	Acrylonitrile butadiene styrene	80	-40	X	-	O
	Alkyd paint	80	-40	X	-	O
	Aluminum	80	-40	X	-	O
	Epoxy paint	80	-	X	-	-
	Galvanized steel	80	-40	X	-	O
	Porcelain	80	-40	X	-	O
	Stainless steel	80	-40	X	-	O
	Unsaturated polyester - thermoset	80	-40	X	-	O
	Polyphenylene oxide/ether	60	-	X	-	-
	Polystyrene	60	-	X	-	-
	Polypropylene	40	-40	X	-	O
CMA System 7						
	Acrylic paint	100	-40	X	-	-
	Alkyd paint	100	-40	X	-	-
	Nylon - Polyamide	100	-40	X	-	-
	Stainless steel	100	-40	X	-	-
	Aluminum	80	-40	X	-	-
	Galvanized steel	60	-40	X	-	-
	Polyester paint	60	-40	X	-	-
	Acrylonitrile butadiene styrene	40	-40	X	-	-
	Polyethylene	40	-40	X	-	-
	Polyphenylene oxide/ether	40	-40	X	-	-
	Polypropylene	40	-40	X	-	-

	Polystyrene	40	-40	X	-	-
CMA System 8						
	Acrylic paint	80	-40	X	-	-
	Acrylonitrile butadiene styrene	80	-40	X	-	-
	Alkyd paint	80	-40	X	-	-
	Alodined aluminum	80	-40	X	-	-
	Aluminum	80	-40	X	-	-
	Galvanized steel	80	-40	X	-	-
	Melamine	80	-29	X	-	-
	Nylon - Polyamide	80	-40	X	-	-
	Phenolic - Phenol Formaldehyde	80	-29	X	-	-
	Polycarbonate	80	-29	X	-	-
	Polyester paint	80	-29	X	-	-
	Polypropylene	80	-	X	-	-
	Polystyrene	80	-29	X	-	-
	Porcelain	80	-40	X	-	-
	Stainless steel	80	-29	X	-	-
	Unsaturated polyester - thermoset	80	-40	X	-	-
CMA System 9						
	Acrylic paint	125	-40	X	-	O
	Alkyd paint	125	-40	X	-	O
	Aluminum	125	-40	X	-	O
	Anodized aluminum	125	-40	X	-	O
	Galvanized steel	125	-40	X	-	O
	Polyester paint	125	-29	X	-	O
	Porcelain	125	-29	X	-	O
	Stainless steel	125	-29	X	-	O
	Melamine	100	-29	X	-	O
	Nylon - Polyamide	100	-29	X	-	O
	Phenolic - Phenol Formaldehyde	100	-29	X	-	O
	Polycarbonate	100	-29	X	-	O
	Acrylonitrile butadiene styrene	80	-40	X	-	O
	Polyphenylene oxide/ether	80	-40	X	-	O
	Polypropylene	80	-	X	-	O
	Polystyrene	80	-29	X	-	O
	Polyvinyl chloride	80	-40	X	-	-
	Unsaturated polyester - thermoset	80	-40	X	-	O
CMA SYSTEM P1, CMA SYSTEM P1L						
	Acrylic paint	100	-40	X	X	-

	Acrylic powder paint	100	-40	X	X	-
	Alkyd paint	100	-40	X	X	O
	Aluminum	100	-40	X	X	O
	Epoxy paint	100	-40	X	X	-
	Epoxy powder paint	100	-40	X	X	O
	Galvanized steel	100	-40	X	X	-
	Glass	100	-40	X	X	-
	Nylon - Polyamide	100	-40	X	X	-
	Phenolic - Phenol Formaldehyde	100	-40	X	X	-
	Polycarbonate	100	-40	X	X	-
	Polyester paint	100	-40	X	X	-
	Polyester powder paint	100	-40	X	X	O
	Polyurethane paint	100	-40	X	X	-
	Polyurethane powder paint	100	-40	X	X	-
	Polyvinyl fluoride	100	-40	X	X	-
	Porcelain	100	-40	X	X	-
	Southern yellow pine	100	-40	X	-	-
	Stainless steel	100	-40	X	X	-
	Unsaturated polyester - thermoset	100	-40	X	X	-
	Acrylonitrile butadiene styrene	80	-40	X	-	-
	Melamine	80	-40	X	X	-
	Polybutylene terephthalate	80	-40	X	X	-
	Polyethylene	80	-40	X	X	O
	Polyethylene terephthalate	80	-40	X	X	-
	Polyphenylene oxide/ether	80	-40	X	X	-
	Polypropylene	80	-40	X	X	O
	Polystyrene	80	-40	X	X	-
	Polyvinyl chloride	80	-40	X	X	-
	Acrylic	60	-40	X	X	-
	Ethylene/Vinyl Acetate	60	-40	X	X	-
CMA System P1-HS						
	Acrylic paint	100	-40	X	X	-
	Acrylic powder paint	100	-40	X	X	-
	Alkyd paint	100	-40	X	X	-
	Aluminum	100	-40	X	X	-
	Epoxy paint	100	-40	X	X	-
	Epoxy powder paint	100	-40	X	X	-
	Galvanized steel	100	-40	X	X	-
	Glass	100	-40	X	X	-

	Nylon - Polyamide	100	-40	X	X	-
	Phenolic - Phenol Formaldehyde	100	-40	X	X	-
	Polycarbonate	100	-40	X	X	-
	Polyester paint	100	-40	X	X	-
	Polyester powder paint	100	-40	X	X	-
	Polyurethane paint	100	-40	X	X	-
	Polyurethane powder paint	100	-40	X	X	-
	Polyvinyl fluoride	100	-40	X	X	-
	Porcelain	100	-40	X	X	-
	Southern yellow pine	100	-40	X	-	-
	Stainless steel	100	-40	X	X	-
	Unsaturated polyester - thermoset	100	-40	X	X	-
	Acrylonitrile butadiene styrene	80	-40	X	-	-
	Melamine	80	-40	X	X	-
	Polybutylene terephthalate	80	-40	X	X	-
	Polyethylene	80	-40	X	X	-
	Polyethylene terephthalate	80	-40	X	X	-
	Polyphenylene oxide/ether	80	-40	X	X	-
	Polypropylene	80	-40	X	X	-
	Polystyrene	80	-40	X	X	-
	Polyvinyl chloride	80	-40	X	X	-
	Acrylic	60	-40	X	X	-
	Ethylene/Vinyl Acetate	60	-40	X	X	-
CMA System P1L-HS						
	Acrylic paint	100	-40	X	X	-
	Acrylic powder paint	100	-40	X	X	-
	Alkyd paint	100	-40	X	X	-
	Aluminum	100	-40	X	X	-
	Epoxy paint	100	-40	X	X	-
	Epoxy powder paint	100	-40	X	X	-
	Galvanized steel	100	-40	X	X	-
	Glass	100	-40	X	X	-
	Nylon - Polyamide	100	-40	X	X	-
	Phenolic - Phenol Formaldehyde	100	-40	X	X	-
	Polycarbonate	100	-40	X	X	-
	Polyester paint	100	-40	X	X	-
	Polyester powder paint	100	-40	X	X	-
	Polyurethane paint	100	-40	X	X	-
	Polyurethane powder paint	100	-40	X	X	-

	Polyvinyl fluoride	100	-40	X	X	-
	Porcelain	100	-40	X	X	-
	Southern yellow pine	100	-40	X	-	-
	Stainless steel	100	-40	X	X	-
	Unsaturated polyester - thermoset	100	-40	X	X	-
	Acrylonitrile butadiene styrene	80	-40	X	-	-
	Melamine	80	-40	X	X	-
	Polybutylene terephthalate	80	-40	X	X	-
	Polyethylene	80	-40	X	X	-
	Polyethylene terephthalate	80	-40	X	X	-
	Polyphenylene oxide/ether	80	-40	X	X	-
	Polypropylene	80	-40	X	X	-
	Polystyrene	80	-40	X	X	-
	Polyvinyl chloride	80	-40	X	X	-
	Acrylic	60	-40	X	X	-
	Ethylene/Vinyl Acetate	60	-40	X	X	-
DSP3A						
	Acrylonitrile butadiene styrene	60	0	X	-	-
	Polyurethane paint	60	0	X	-	-
DSP3B						
	Acrylonitrile butadiene styrene	60	0	X	-	-
	Epoxy painted plastic	60	0	X	-	-
	Polypropylene	60	0	X	-	-
	Polyurethane paint	60	0	X	-	-
DVM400						
	Acrylic paint	80	-40	X	-	O
	Acrylonitrile butadiene styrene	80	-40	X	-	O
	Alkyd paint	80	-40	X	-	O
	Aluminum	80	-40	X	-	O
	Galvanized steel	80	-40	X	-	O
	Phenolic - Phenol Formaldehyde	80	-40	X	-	O
	Polyester paint	80	-40	X	-	O
	Polyethylene	80	-40	X	-	O
	Polyphenylene oxide/ether	80	-40	X	-	O
	Polypropylene	80	-40	X	-	O
	Polystyrene	80	-40	X	-	O
	Southern yellow pine	80	-	X	-	-
	Stainless steel	80	-40	X	-	O

	Unsaturated polyester - thermoset	80	-	X	-	-
	Epoxy paint	60	-	X	-	-
E-2-1-2P-CWSG						
	Acrylic paint	125	-	X	-	-
	Alkyd paint	125	-	X	-	O
	Aluminum	125	-	X	-	-
	Galvanized steel	125	-	X	-	-
	Polyester paint	125	-	X	-	O
	Stainless steel	125	-	X	-	-
	Nylon - Polyamide	100	-	X	-	-
	Phenolic - Phenol Formaldehyde	100	-	X	-	-
	Polycarbonate	100	-	X	-	O
	Acrylonitrile butadiene styrene	80	-	X	-	O
	Polypropylene	80	-	X	-	O
	Polystyrene	80	-	X	-	O
	Polyethylene	60	-	X	-	O
E-30-CS						
	Acrylic paint	150	-	X	-	-
	Alkyd paint	150	-	X	-	O
	Aluminum	150	-	X	-	-
	Galvanized steel	150	-	X	-	-
	Polyester paint	150	-	X	-	-
	Porcelain	150	-	X	-	-
	Stainless steel	150	-	X	-	-
	Nylon - Polyamide	100	-	X	-	-
	Phenolic - Phenol Formaldehyde	100	-	X	-	-
	Polycarbonate	100	-	X	-	-
	Polyethylene	80	-	X	-	-
	Polypropylene	80	-	X	-	-
	Polystyrene	80	-	X	-	-
	Acrylonitrile butadiene styrene	60	-	X	-	-
E19034-CM						
	Acrylonitrile butadiene styrene	60	-	X	-	-
	Polypropylene	60	-	X	-	-
	Polyurethane painted plastic	60	-	X	-	-
M-102PC						
	Acrylonitrile butadiene styrene	60	-	X	-	-
N2.1 CP White, N2.1 HR9 White						
	Polyvinyl chloride	80	-	X	-	-

N2.1 F White						
	Polyvinyl chloride	60	-	X	-	-
N4.5 White, N415 White						
	Acrylonitrile butadiene styrene	80	-	X	-	O
	Alkyd paint	80	-	X	-	O
	Phenolic - Phenol Formaldehyde	80	-	X	-	O
	Polyester paint	80	-	X	-	O
	Polyethylene	80	-	X	-	O
	Polystyrene	80	-	X	-	O
	Polyvinyl chloride	80	-	X	-	-
	Stainless steel	80	-	X	-	O
	Polypropylene	60	-	X	-	O
N41RB White						
	Polypropylene	80	-	X	-	O
N41White, NA42 White, N41HR9 White						
	Alkyd paint	100	-	X	-	O
	Phenolic - Phenol Formaldehyde	100	-	X	-	O
	Polyester paint	100	-	X	-	O
	Stainless steel	100	-	X	-	O
	Acrylonitrile butadiene styrene	80	-	X	-	O
	Polyethylene	80	-	X	-	O
	Polystyrene	80	-	X	-	O
	Polyvinyl chloride	80	-	X	-	-
	Polypropylene	60	-	X	-	O
N61-131-MDP						
	Acrylonitrile butadiene styrene	80	-	X	-	-
	Alkyd paint	80	-	X	-	-
	Polycarbonate	80	-	X	-	-
	Polystyrene	60	-	X	-	-
P415 White						
	Stainless steel	100	-	X	-	-
	Acrylonitrile butadiene styrene	80	-	X	-	-
	Alkyd paint	80	-	X	-	-
	Polycarbonate	80	-	X	-	-
	Polyester paint	80	-	X	-	-
	Polypropylene	80	-	X	-	-
	Polystyrene	80	-	X	-	-
Perma Stain No. 12						
	Alkyd paint	60	-	X	-	O

Perma Stain No. 14						
	Alkyd paint	80	-	X	-	O
Perma Stain No.1						
	Acrylonitrile butadiene styrene	80	-	X	-	O
	Alkyd paint	80	-	X	-	O
	Phenolic - Phenol Formaldehyde	80	-	X	-	O
	Polycarbonate	80	-	X	-	O
	Polyester paint	80	-	X	-	O
	Polystyrene	80	-	X	-	O
	Stainless steel	80	-	X	-	O
Perma Stain No.15						
	Alkyd paint (textured)	100	-	X	-	O
	Alkyd paint	100	-	X	-	O
Perma Stain No.16						
	Alkyd paint	100	-	X	-	O
Perma Stain No.2						
	Stainless steel	100	-	X	-	O
	Acrylonitrile butadiene styrene	80	-	X	-	O
	Alkyd paint	80	-	X	-	O
	Phenolic - Phenol Formaldehyde	80	-	X	-	O
	Polycarbonate	80	-	X	-	O
	Polyester paint	80	-	X	-	O
	Polystyrene	80	-	X	-	O
Perma Stain No.5, Perma Stain No.6, Perma Stain No.9, Perma Stain No.11,						
	Alkyd paint (textured)	100	-	X	-	-
	Alkyd paint	100	-	X	-	O
	Polyester paint	100	-	X	-	O
	Stainless steel	100	-	X	-	O
	Acrylonitrile butadiene styrene	80	-	X	-	O
	Phenolic - Phenol Formaldehyde	80	-	X	-	O
	Polystyrene	80	-	X	-	O
	Polypropylene	60	-	X	-	O
QP 21 White CP						
	Polyester/Polypropylene paint	100	-	X	-	-
RD35WV02						
	Alkyd paint	100	-	X	-	O
RD35WV02V						
	Alkyd paint	100	-	X	-	O
	Alkyd paint (textured)	100	-	X	-	O

S41 White, S41 White HR9, S41.5 White						
	Alkyd paint	100	-	X	-	-
	Acrylonitrile butadiene styrene	60	-	X	-	-
	Aluminum	60	-	X	-	-
	Galvanized steel	60	-	X	-	-
	Stainless steel	60	-	X	-	-

Note: Application surfaces are smooth, flat, and rigid unless otherwise specified. Labels suitable for application to two or more plastic or painted surfaces are considered suitable for blends of those plastics or paints, with Conditions of Acceptability common to the individual components in the blend.

G - Occasional exposure to Gasoline splashing.

G(mm) - Occasional exposure to Gasoline splashing. The number in parenthesis represents the minimum length and width of the label in millimeters.

O - Occasional exposure to Lubricating Oil.

(a) - Minimum label size 38.1 mm..

NOTE - (1) Additional characters may be added to the end of the designation after a forward slash, "/", indicating the type of release liner used unless a specific release liner is indicated. (2) Model designations may or may not include hyphens or spaces as part of the nomenclature.

Marking: Company name and model designation.

[Last Updated](#) on 2013-10-15

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".